

SAFETY DATA SHEET

Version 8.4
Revision Date 03/27/2021
Print Date 03/29/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Ammonia solution 32% EMPLURA®
Product Number : 1.05426
Catalogue No. : 105426
Brand : Millipore

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

1.3 Details of the supplier of the safety data sheet

Company : EMD Millipore Corporation
400 Summit Drive
BURLINGTON MA 01803
UNITED STATES

Telephone : +1 800-645-5476

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Skin corrosion (Category 1B), H314
Serious eye damage (Category 1), H318
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335
Short-term (acute) aquatic hazard (Category 1), H400
Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H314
H335

Causes severe skin burns and eye damage.
May cause respiratory irritation.

| | |
|----------------------------|--|
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Precautionary statement(s) | |
| P261 | Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P304 + P340 + P310 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. |
| P363 | Wash contaminated clothing before reuse. |
| P391 | Collect spillage. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Component | | Classification | Concentration |
|-------------------------|-----------------------|---|----------------|
| ammonia solution | | | |
| CAS-No. | 1336-21-6 | Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 2; H314, H318, H335, H400, H411 Concentration limits: >= 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute: 10 | >= 30 - < 50 % |
| EC-No. | 215-647-6 | | |
| Index-No. | 007-001-01-2 | | |
| Registration number | 01-2119488876-14-XXXX | | |
| | | | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO_x)

Not combustible.

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrogen oxides

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal or light-weight-metal containers.

Tightly closed.

Recommended storage temperature see product label.

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|------------------|-----------|-------|--------------------------------|---|
| ammonia solution | 1336-21-6 | TWA | 25 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | STEL | 35 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | TWA | 25 ppm 18 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | | ST | 35 ppm 27 mg/m ³ | USA. NIOSH Recommended Exposure Limits |

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Millipore - 1.05426

Page 4 of 11

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm

Break through time: 480 min

Material tested: Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.40 mm

Break through time: 240 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Control of environmental exposure

Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--|-------------------------------------|
| a) Appearance | Form: liquid Color: colorless |
| b) Odor | stinging |
| c) Odor Threshold | 0.03 - 0.05 ppm - Ammonia |
| d) pH | at 20 °C (68 °F) strongly alkaline |
| e) Melting point/freezing point | Melting point: -91.5 °C (-132.7 °F) |
| f) Initial boiling point and boiling range | 37.7 °C 99.9 °F at 1,013 hPa |
| g) Flash point | No data available |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |

| | |
|---|--|
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 33.6 %(V) Lower explosion limit: 15.4 %(V) |
| k) Vapor pressure | ca.837 hPa at 20 °C (68 °F) |
| l) Vapor density | No data available |
| m) Relative density | No data available |
| n) Water solubility | soluble |
| o) Partition coefficient: n-octanol/water | log Pow: -1.38 - (anhydrous substance), Bioaccumulation is not expected. |
| p) Autoignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

9.2 Other safety information

Minimum ignition energy 380 - 680 mJ

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Oxidizing agents
Mercury
Oxygen
silver compounds
nitrogen trichloride
hydrogen peroxide
silver
antimony hydride
Halogens
Acids
Calcium
Chlorine
Chlorites
auric salts
perchlorates
sodium hypochlorite
mercury compounds

halogen oxides
Heavy metals
Heavy metal salts
Acid chlorides
Acid anhydrides
Risk of ignition or formation of inflammable gases or vapours with:
Boranes
Boron
Oxides of phosphorus
Nitric acid
silicon compounds
chromium(VI) oxide
chromyl chloride
Exothermic reaction with:
Acetaldehyde
Acrolein
Barium
boron compounds
Bromine
halogen-halogen compounds
hydrogen bromide
silane
Hydrogen chloride gas
halogen compounds
dimethylsulfate
nitrogen oxides
Fluorine
Hydrogen fluoride
chlorates
carbon dioxide
Ethylene oxide
polymerisable

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

Aluminum, Lead, Nickel, silver, Zinc, Copper, metal alloys, various metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

LDLo Oral - Human - 43 mg/kg

Remarks:

(29% solution)

(RTECS)

Symptoms: gastric pain, Bloody vomiting, If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Symptoms: mucosal irritations, Cough, Shortness of breath, bronchitis, Possible damages:, damage of respiratory tract

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Severe irritations

Remarks: (29% solution)
(RTECS)

Dermatitis Necrosis

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe irritations

Remarks: (29% solution)(RTECS)Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Not available

Cough
Shortness of breath
bronchitis
gastric pain
Bloody vomiting
Nausea
collapse
shock
Unconsciousness

Other dangerous properties can not be excluded.
Handle in accordance with good industrial hygiene and safety practice.

Components

ammonia solution

Acute toxicity

No data available

Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Dermal: No data available

No data available

Skin corrosion/irritation

Causes skin burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

Millipore - 1.05426

Page 9 of 11

12.2 Persistence and degradability

Biodegradability Remarks: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

Forms toxic and corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

No data available

Components

ammonia solution

| | |
|---|---|
| Toxicity to fish | flow-through test LC50 - Pimephales promelas (fathead minnow) - 0.068 mg/l - 96 h Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: ammonium sulphate |
| Toxicity to daphnia and other aquatic invertebrates | static test LC50 - Daphnia magna (Water flea) - 101 mg/l - 48 h Remarks: (ECHA) anhydrous |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 2672 Class: 8 Packing group: III

Proper shipping name: Ammonia solution

Reportable Quantity (RQ): 3125 lbs

1) Marine pollutant: yes Poison Inhalation Hazard: No

IMDG

UN number: 2672 Class: 8 Packing group: III EMS-No: F-A, S-B
Proper shipping name: AMMONIA SOLUTION
Marine pollutant : yes
Marine pollutant : yes

IATA

UN number: 2672 Class: 8 Packing group: III
Proper shipping name: Ammonia solution

SECTION 15: Regulatory information**SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|------------------|-----------|---------------|
| ammonia solution | 1336-21-6 | 2007-03-01 |

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.4 Revision Date: 03/27/2021 Print Date: 03/29/2021