

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Revision Date 04/03/2020

Version 1.15

SECTION 1. Identification

Product identifier

| | |
|----------------|--------------------------------------|
| Product number | 100066 |
| Product name | Acetic acid (glacial) 100% Suprapur® |
| CAS-No. | 64-19-7 |

Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------|----------------------|
| Identified uses | Reagent for analysis |
|-----------------|----------------------|

Details of the supplier of the safety data sheet

| | |
|---------|---|
| Company | Millipore (Canada) Ltd. 2149 Winston Park Dr. Oakville Ontario L6H 6J8 Canada General Inquiries: +1 905 829 9500 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany. |
|---------|---|

| | |
|----------------------------|--|
| Emergency telephone | 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week |
|----------------------------|--|

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 3, H226
Skin corrosion, Category 1A, H314
Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

Signal Word

Danger

Hazard Statements

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

| | | |
|------------|----------------------|---|
| Formula | CH ₃ COOH | C ₂ H ₄ O ₂ (Hill) |
| Molar mass | 60.05 g/mol | |

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

acetic acid (>= 90 % - <= 100 %)
64-19-7

SECTION 4. First aid measures

Description of first-aid measures

General advice

First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Nausea, Vomiting, bronchitis, gastric spasms, Shortness of breath, shock, Circulatory collapse, Pneumonia
Risk of corneal clouding.
Risk of blindness!

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO₂), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

Forms explosive mixtures with air at elevated temperatures.
Development of hazardous combustion gases or vapors possible in the event of fire.
Fire may cause evolution of:
Acetic acid vapors

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet.

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemisorb® H⁺, Art. No. 101595). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Page 4 of 14

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at +15°C to +25°C (+59°F to +77°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Components

| Basis | Value | Threshold limits | Remarks |
|----------------------------|-----------------------------------|--------------------------------|---------|
| <i>acetic acid 64-19-7</i> | | | |
| CAD AB OEL | Time Weighted Average (TWA): | 10 ppm 25 mg/m ³ | |
| | Short Term Exposure Limit (STEL): | 15 ppm 37 mg/m ³ | |
| CAD BC OEL | Short Term Exposure Limit (STEL): | 15 ppm | |
| | Time Weighted Average (TWA): | 10 ppm | |
| CAD MB OEL | Time Weighted Average (TWA): | 10 ppm | |
| | Short Term Exposure Limit (STEL): | 15 ppm | |
| CAD ON OEL | Time Weighted Average (TWAEV): | 10 ppm | |
| | Short Term Exposure Limit (STEV): | 15 ppm | |
| OEL (QUE) | Time Weighted Average (TWA): | 10 ppm 25 mg/m ³ | |
| | Short Term Exposure Limit (STEL): | 15 ppm 37 mg/m ³ | |

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream.
Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

Hand protection

full contact:

Glove material: butyl-rubber
Glove thickness: 0.7 mm
Break through time: 480 min

splash contact:

Glove material: natural latex
Glove thickness: 0.6 mm
Break through time: 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapors/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer.

These measures have to be properly documented.

SECTION 9. Physical and chemical properties

| | |
|----------------|-----------------------------------|
| Physical state | liquid |
| Color | colorless |
| Odor | stinging |
| Odor Threshold | 0.2 - 100.1 ppm |
| pH | 2.5 at 50 g/l 68 °F (20 °C) |

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066 Version 1.15
Product name Acetic acid (glacial) 100% Suprapur®

| | |
|--|---|
| Melting point | 63 °F (17 °C) |
| Boiling point/boiling range | 241 - 244 °F (116 - 118 °C) at 1,013 hPa |
| Flash point | 104 °F (40 °C) Method: c.c. |
| Evaporation rate | No information available. |
| Flammability (solid, gas) | No information available. |
| Lower explosion limit | 4 %(V) |
| Upper explosion limit | 19.9 %(V) |
| Vapor pressure | 15.4 hPa at 68 °F (20 °C) |
| Relative vapor density | 2.07 |
| Density | 1.05 g/cm ³ at 68 °F (20 °C) |
| Relative density | No information available. |
| Water solubility | 602.9 g/l at 77 °F (25 °C) |
| Partition coefficient: n-octanol/water | log Pow: -0.17 (25 °C) (experimental) (ECHA) Bioaccumulation is not expected. |
| Autoignition temperature | No information available. |
| Decomposition temperature | Distillable in an undecomposed state at normal pressure. |
| Viscosity, dynamic | 1.22 mPa.s at 68 °F (20 °C) |
| Explosive properties | Not classified as explosive. |

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

| | | |
|----------------|--------------------------------------|--------------|
| Product number | 100066 | Version 1.15 |
| Product name | Acetic acid (glacial) 100% Suprapur® | |

| | |
|----------------------|---|
| Oxidizing properties | none |
| Ignition temperature | 905 °F (485 °C) |
| Viscosity, kinematic | 1.17 mm ² /s at 68 °F (20 °C) |

SECTION 10. Stability and reactivity

Reactivity

Vapor/air-mixtures are explosive at intense warming.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of explosion with:

peroxi compounds, perchloric acid, fuming sulfuric acid, phosphorus halides, hydrogen peroxide, chromium(VI) oxide, potassium permanganate, Peroxides, Strong oxidizing agents

Risk of ignition or formation of inflammable gases or vapors with:

Iron, Zinc, magnesium, Mild steel

Possible formation of:

Hydrogen

Violent reactions possible with:

strong alkalis, Aldehydes, alkali hydroxides, nonmetallic halides, ethanolamine, Acetaldehyde, Alcohols, halogen-halogen compounds, chlorosulfonic acid, chromosulfuric acid, Potassium hydroxide, Nitric acid

Conditions to avoid

Heating.

Temperatures < 63 °F.

Incompatible materials

various metals

Hazardous decomposition products

in the event of fire: See section 5.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

Acute oral toxicity

LD50 Rat: 3,310 mg/kg (RTECS)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach., Nausea, Vomiting, Risk of aspiration upon vomiting., Pulmonary failure possible after aspiration of vomit.

Acute inhalation toxicity

LCLO Rat: 39.95 mg/l; 4 h
(RTECS)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Pneumonia, bronchitis, Inhalation may lead to the formation of oedemas in the respiratory tract., Symptoms may be delayed.

Corrosive to respiratory system.

Skin irritation

Rabbit

Result: Causes burns.
(IUCLID)

Causes severe burns.

Eye irritation

Rabbit

Result: Causes burns.
(IUCLID)

Causes serious eye damage.

Risk of blindness!

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

Method: OECD Test Guideline 473

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

Teratogenicity

Did not show teratogenic effects in animal experiments. (IUCLID)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

| | |
|-------|--|
| IARC | No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| OSHA | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. |
| NTP | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
| ACGIH | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |

Further information

Systemic effects:

Shortness of breath, gastric spasms, shock, Circulatory collapse, acidosis

Possible damages:

Damage to:

Kidney

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

semi-static test LC50 *Oncorhynchus mykiss* (rainbow trout): > 300.8 mg/l; 96 h
OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

EC5 *E.sulcatum*: 78 mg/l; 72 h neutral (maximum permissible toxic concentration)
(Lit.)

EC50 *Daphnia magna* (Water flea): 47 mg/l; 24 h (Lit.)

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

Toxicity to algae

IC5 Scenedesmus quadricauda (Green algae): 4,000 mg/l; 16 h (maximum permissible toxic concentration) (Lit.)

Toxicity to bacteria

EC5 Pseudomonas putida: 2,850 mg/l; 16 h neutral (maximum permissible toxic concentration) (Lit.)

microtox test EC50 Photobacterium phosphoreum: 11 mg/l; 15 min (IUCLID)

Persistence and degradability

Biodegradability

99 %; 30 d

OECD Test Guideline 301D

(HSDB)

Readily biodegradable.

95 %; 5 d

OECD Test Guideline 302B

Readily eliminated from water

Biochemical Oxygen Demand (BOD)

880 mg/g (5 d)

(Lit.)

Ratio BOD/ThBOD

BOD5 76 %

(IUCLID)

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -0.17 (25 °C)

(experimental)

(ECHA) Bioaccumulation is not expected.

Mobility in soil

No information available.

Additional ecological information

Biological effects:

Harmful effect due to pH shift. Caustic even in diluted form.

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

SECTION 14. Transport information

Land transport (DOT)

UN number UN 2789
Proper shipping name ACETIC ACID, GLACIAL
Class 8 (3)
Packing group II
Environmentally hazardous --

Air transport (IATA)

UN number UN 2789
Proper shipping name ACETIC ACID, GLACIAL
Class 8 (3)
Packing group II
Environmentally hazardous --
Special precautions for user no

Sea transport (IMDG)

UN number UN 2789
Proper shipping name ACETIC ACID, GLACIAL
Class 8 (3)
Packing group II
Environmentally hazardous --
Special precautions for user yes
EmS F-E S-C

SECTION 15. Regulatory information

United States of America

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

Product number 100066

Version 1.15

Product name Acetic acid (glacial) 100% Suprapur®

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL


SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word

Danger

Hazard Statements

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

Prevention

P210 Keep away from heat.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 04/03/2020

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

SAFETY DATA SHEET

according to the Global Harmonized System (and with all of the information required by the HPR)

| | | |
|----------------|--------------------------------------|--------------|
| Product number | 100066 | Version 1.15 |
| Product name | Acetic acid (glacial) 100% Suprapur® | |

information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.