

## SAFETY DATA SHEET

Version 8.4  
Revision Date 07/16/2021  
Print Date 07/16/2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Triton® X-100 for analysis

Product Number : 1.08603  
Catalogue No. : 108603  
Brand : Millipore

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Reagent for analysis  
Uses advised against : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : EMD Millipore Corporation  
400 Summit Drive  
BURLINGTON MA 01803  
UNITED STATES  
Telephone : +1 800-645-5476

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Acute toxicity, Oral (Category 4), H302  
Skin irritation (Category 2), H315  
Serious eye damage (Category 1), H318  
Short-term (acute) aquatic hazard (Category 1), H400  
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word : Danger

Hazard statement(s)  
H302 : Harmful if swallowed.

H315	Causes skin irritation.
H318	Causes serious eye damage.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Component	Classification	Concentration
<b>Octylphenol polyethoxyethanol</b>		
CAS-No. 9036-19-5	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H315, H318, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	>= 90 - <= 100 %
<b>polymer of ethylene glycol</b>		
CAS-No. 25322-68-3 EC-No. 500-038-2		>= 1 - < 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

**In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

**In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

**If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

**Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed.

Recommended storage temperature see product label.

Storage class (TRGS 510): 10: Combustible liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
polymer of ethylene glycol	25322-68-3	TWA	10 mg/m <sup>3</sup>	USA. Workplace Environmental Exposure Levels (WEEL)

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm

Break through time: > 480 min  
Material tested: Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm

Break through time: > 480 min

Material tested: Butoject® (KCL 898)

### **Body Protection**

protective clothing

### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |   |  |
|---|--|
| a) Appearance                                   | Form: liquid<br>Color: colorless         |
| b) Odor   | weak                                     |
| c) Odor Threshold                               | No data available                        |
| d) pH   | 5.0 - 8.0 at 10 g/l at 20 °C (68 °F)     |
| e) Melting point/freezing point                 | Solidification point: 6 °C (43 °F)       |
| f) Initial boiling point and boiling range      | > 200 °C > 392 °F at 1,013 hPa           |
| g) Flash point                                  | 251 °C (484 °F) - closed cup - ASTM D 93 |
| h) Evaporation rate                             | No data available                        |
| i) Flammability (solid, gas)                    | No data available                        |
| j) Upper/lower flammability or explosive limits | No data available                        |
| k) Vapor pressure                               | < 0.01 hPa at 20 °C (68 °F)              |
| l) Vapor density                                | No data available                        |
| m) Density                                      | 1.07 g/cm <sup>3</sup> at 20 °C (68 °F)  |
| Relative density                                | No data available                        |
| n) Water solubility                             | soluble                                  |

Millipore - 1.08603

Page 5 of 11

- o) Partition coefficient: log Pow: 2.7 at 20 °C (68 °F) - (External MSDS),  
n-octanol/water Bioaccumulation is not expected.
- p) Autoignition temperature No data available
- q) Decomposition temperature No data available
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.  
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

In case of decomposition in closed containers and tubes risk of bursting due to buildup of overpressure.  
The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:  
Strong oxidizing agents  
Strong acids

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

#### Acute toxicity

LD50 Oral - Rat - 1,900 - 5,000 mg/kg

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: Possible symptoms: , mucosal irritations

LD50 Dermal - Rabbit - > 3,000 mg/kg

#### Skin corrosion/irritation

Mixture causes skin irritation.

Millipore - 1.08603

Page 6 of 11

**Serious eye damage/eye irritation**

Mixture causes serious eye damage.

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

**Components****Octylphenol polyethoxyethanol****Acute toxicity**

LD50 Oral - Rat - 1,900 - 5,000 mg/kg

Remarks: (External MSDS)

Symptoms: Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

Inhalation: No data available

LD50 Dermal - Rabbit - > 3,000 mg/kg

Remarks: (External MSDS)

**Skin corrosion/irritation**

Skin - Rabbit

Result: irritating - 4 h

(OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Risk of serious damage to eyes.

(Draize Test)  
Risk of corneal clouding.

**Respiratory or skin sensitization**

Sensitisation test: - Human  
Result: negative  
Remarks: (External MSDS)  
Patch test on human volunteers did not demonstrate sensitization properties.

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

Ingestion of excessive amounts by pregnant animals resulted in maternal and fetal toxicity. Did not show teratogenic effects in animal experiments.

**Specific target organ toxicity - single exposure**

Acute oral toxicity - Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**polymer of ethylene glycol**

**Acute toxicity**

LD50 Oral - Rat - female - > 2,000 mg/kg  
(OECD Test Guideline 423)  
Inhalation: No data available  
LD50 Dermal - Rat - male and female - > 2,000 mg/kg  
(OECD Test Guideline 402)

**Skin corrosion/irritation**

Skin - Rabbit  
Result: No skin irritation - 4 h  
(OECD Test Guideline 404)

**Serious eye damage/eye irritation**

Eyes - Rabbit  
Result: No eye irritation - 24 h  
(OECD Test Guideline 405)

**Respiratory or skin sensitization**

Sensitisation test: - Guinea pig



Result: Not a skin sensitizer.  
(OECD Test Guideline 406)

**Germ cell mutagenicity**

Test Type: Ames test  
Test system: *S. typhimurium*  
Result: negative  
Test Type: gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Mixture**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Other adverse effects**

No data available

**Components**

**Octylphenol polyethoxyethanol**

Toxicity to fish	semi-static test LC50 - <i>Leuciscus idus</i> (Golden orfe) - 0.26 mg/l - 96 h (OECD Test Guideline 203) Remarks: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol
------------------	---

Toxicity to daphnia and other aquatic	static test EC50 - <i>Daphnia magna</i> (Water flea) - 0.011 mg/l - 48 h
---------------------------------------	--

invertebrates	Remarks: (ECOTOX Database) The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata (green algae) - 1.9 mg/l - 96 h Remarks: (ECHA) The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol

### **polymer of ethylene glycol**

Toxicity to fish	static test LC50 - Poecilia reticulata (guppy) - > 100 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

---

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## **SECTION 14: Transport information**

### **DOT (US)**

Not dangerous goods

### **IMDG**

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octylphenol polyethoxyethanol)  
Marine pollutant : yes

### **IATA**

UN number: 3082 Class: 9 Packing group: III  
Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Octylphenol polyethoxyethanol)

### **Further information**

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

---

## SECTION 15: Regulatory information

### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

---

## SECTION 16: Other information

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 8.4

Revision Date: 07/16/2021

Print Date: 07/16/2021